



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Deaths and death rates from smallpox in the registration area (exclusive of Hawaii) and in the registration States, 1916-1920—Continued.

Area.	Number of deaths.			Rate per 100,000 population.				
	1920	1919	1918	1920	1919	1918	1917	1916
Rhode Island.....			1			.2		.2
South Carolina (total).....	2	4	2	.1	.2	.1		.2
White.....	1	2		.1	.2			
Colored.....	1	2	2	.1	.2	.2		.5
Tennessee (total).....	12	15	13	.5	.6	.7	.2	(?)
White.....	9	11	11	.5	.6	.6	.2	(?)
Colored.....	3	4	5	.7	.9	1.1	.2	(?)
Utah.....	13	4	10	2.9	.9	2.3	.9	
Vermont.....								.3
Virginia (total).....	12	9	5	.5	.4	.2	.1	(?)
White.....	9	5	1	.6	.3	.1	.1	.1
Colored.....	3	4	4	.4	.6	.6		
Washington.....	18	8	4	1.3	.6	.3	.1	.1
Wisconsin.....	10	5	12	.4	.2	.5	.1	.1

* Not admitted to the registration area until a later date.

* Less than one-tenth of 1 per cent.

CASES OF INFLUENZA REPORTED BY STATES, 1922.

The accompanying table shows, by weeks, the number of cases of influenza reported by State health officers from January 22 to March 25, 1922.

On pages 640-641 of the Public Health Reports for March 17, 1922, appears a table giving the number of cases of influenza reported by State health officers during the first 10 weeks of the years 1920, 1921, and 1922.

The aggregate estimated population of the 28 States and the District of Columbia is approximately 67,200,000.

Number of cases of influenza reported by States from Jan. 22 to Mar. 25, 1922, inclusive, by weeks.

State.	Number of cases reported during week ended—								
	Janu- ary.	February—				March—			
	28	4	11	18	25	4	11	18	25
Alabama.....	3	26	95	29	20	31	185	340	177
Arkansas.....	88	192	232	158	202	371	409	529	1,032
California.....	48	92	845	4,315	10,033	9,917	4,627	3,289	1,169
Colorado (exclusive of Denver) ..	2	4	6	17	12	67	937	755	146
Connecticut.....	22	109	518	1,325	675	711	485	194	146
Delaware.....	2	7	2	2	9	2	16	38
District of Columbia.....	7	5	9	8	7	9	9	3	4
Florida.....	6	15	35	123	118	68	72	74	57
Georgia.....	64	74	81	128	162	179	149	268	470
Illinois.....	125	108	417	633	1,039	809	735	765	686
Kansas.....	121	364	440	480	901	626	557	524	321
Kentucky.....	51	332	640	705	748	1,088	495	548	398
Louisiana.....	8	10	39	36	368	469	1,603	3,527	3,669
Maine.....	14	97	145	131	441	487	352	223	222
Maryland.....	93	110	189	263	431	612	814	728	409
Massachusetts.....	66	398	1,469	1,764	1,285	904	521	292	190
Minnesota.....	2	12	10	44	71	209	245	16
Missouri.....	20	71	99	234	313	405	279	491	303
Montana.....	1	188	178	263	674	435
Nebraska.....	6	6	10	161	66	119	157	164
New Jersey.....	125	426	1,288	1,555	918	512	221	117	97
New Mexico.....	10	14	35	92	304	209	437	1,534
New York (exclusive of New York City).....	173	694	771	1,577	1,568	1,774	1,973	1,796	1,424
New York City.....	1,230	5,731	7,070	3,284	1,312	592	310	173	120
Oregon.....	7	31	168	442	616	782	250	158	126
Texas.....	5	57	141	123	76	353	1,181	240	237
Vermont.....	1	7	2	12	1	2	15	9	9
Washington.....	33	176	1,031	902	360	389	81	116	17
West Virginia.....	62	59	82	446	178	143	98
Wisconsin.....	22	24	37	22	73	129	321	543	772
Total.....	2,337	9,179	15,893	18,382	22,285	22,352	17,562	17,374	14,486
Number of States reporting cases.....	24	28	28	28	29	28	29	29	29

DEATHS FROM INFLUENZA AND PNEUMONIA COMBINED.

IN CERTAIN LARGE CITIES OF THE UNITED STATES, JANUARY 22 TO MARCH 25, 1922.

The accompanying table gives the number of reported deaths from influenza and pneumonia (all forms) combined, by weeks, from January 22 to March 25, 1922, inclusive, in 63 large cities of the United States.

The data were furnished by city health officers. Use was made of the figures contained in the "Weekly Health Index," issued by the Bureau of the Census, in supplying deficiencies in the figures.

On pages 642-644 of the Public Health Reports for March 17, 1922, appears a table giving the number of deaths from influenza and pneumonia (all forms) combined, in 36 of these cities during the first 10 weeks of the years 1919, 1920, 1921, and 1922.

The population of the 63 cities, estimated as of July, 1921, is approximately 27,500,000.